

[UniFi](#) [UISP](#) [Branding](#)


[Switching](#) [WiFi](#) [Camera Security](#) [Door Access](#) [CloudKeys & Gateways](#) [Power Tech](#) [New I](#)

All > [CloudKey+](#)

[Datasheet](#)

[Marketing Images](#)

[Installation Guide](#)



*CloudKey+ only supports drives that can operate on 5V power.

**Rack Mount and Stand accessories sold separately.

Mechanical

Dimensions

131.2 x 27.1 x 134.2 mm (5.2 x 1.1 x 5.3")

| | |
|---------------------------|-------------------|
| Weight | 560 g (1.2 lb) |
| Enclosure material | Anodized aluminum |

Hardware


| | |
|--------------------------------------|--|
| Processor | Octa-core Arm® Cortex®-A53 based chip |
| Management interface | Ethernet Bluetooth |
| Networking interface | (1) GbE RJ45 port |
| Memory | 32 GB eMMC 3 GB RAM |
| SSD capacity | 1 TB 2.5" SATA SSD (user-upgradeable*) <small>*CloudKey+ only supports drives that can operate on 5V power. Drives that require additional power are not supported.</small> |
| Power method | PoE Quick charge 2.0/3.0 power adapter, 9V DC, 2A |
| Max. power consumption | 9.6W |
| Display | 1.42" gray-scale OLED |
| LEDs | (1) Power: white/blue |
| Buttons | (1) Power (1) Factory reset |
| Ambient operating temperature | 0 to 35° C (32 to 104° F) |
| Ambient operating humidity | 20 to 80% noncondensing |
| Certifications | FCC, CE, IC |

Capacity

| | |
|-------------------|----|
| HD cameras | 24 |
| 2K cameras | 14 |
| 4K cameras | 8 |

Assumes the UCK-G2-SSD is dedicated to UniFi Protect only. If it's also running UniFi Network, your maximum camera limit will be lower.

Stay in Touch

[Terms of Service](#) | [Privacy Policy](#) | [Legal](#) | [Cookies Settings](#)

© 2024 Ubiquiti, Inc. All rights reserved.